

SALES CONTRACT ADDENDUM FOR LEAD-BASED PAINT TESTING
(Required for Sale of Housing Constructed Prior to 1978)

This addendum is made on _____, to a Sales Contract ("Contract") dated _____
between _____ ("Purchaser")
and _____ ("Seller")
for the purchase and sale of the Property: _____.

SELECT AND CHECK ONLY ONE OF THE FOLLOWING PARAGRAPHS:

☐ THIS CONTRACT IS CONTINGENT until **EITHER** ☐ 9:00 p.m. on the 10th calendar day after the Date of Ratification **OR** ☐ 9:00 p.m. on _____ upon a risk assessment or inspection of the Property for the presence of lead-based paint and/or lead-based paint hazards* to be conducted at the Purchaser's expense. This contingency will terminate at the above deadline unless the Purchaser Delivers to the Seller a written contract addendum listing the specific existing deficiencies and the corrections needed, together with a copy of the inspection report and/or risk assessment report prepared by a Federal or State certified lead inspector and/or risk assessor. The Seller may, at the Seller's option, within _____ days after Delivery of the addendum, elect in writing whether to correct the condition(s). If the Seller will correct the condition(s), the Seller shall furnish the Purchaser with written certification, from a Federal or State certified lead inspector and/or risk assessor, demonstrating that the condition(s) have been remedied before the date of settlement. If the Seller does not elect to make the repairs, or if the Seller makes a counter-offer, then the Purchaser shall have _____ days to respond to the counter-offer or to remove this contingency and accept the Property in "as-is" condition with respect to lead-based paint, or the Contract shall become void. If the Contract becomes void, all parties shall sign the appropriate releases, the Deposit shall then be refunded to the Purchaser, and the parties shall have no further liability under the Contract. The Purchaser may remove this contingency at any time without cause.

(*Intact lead-based paint that is in good condition is not necessarily a hazard. See EPA pamphlet *Protect Your Family From Lead in Your Home* for more information.)

-OR-

☐ THIS CONTRACT IS NOT CONTINGENT upon a risk assessment or inspection of the Property for the presence of lead-based paint and/or lead-based paint hazards, and the Purchaser expressly waives any right to conduct such an inspection.

WITNESS OUR SIGNATURES AND SEALS.

SELLER:

_____/_____
Date Signature (SEAL)

_____/_____
Date Signature (SEAL)

PURCHASER:

_____/_____
Date Signature (SEAL)

_____/_____
Date Signature (SEAL)

© 2000 Northern Virginia Association of REALTORS®, Inc.



REALTOR®

This is a suggested form of the Northern Virginia Association of REALTORS®, Inc. ("NVAR") This form has been exclusively printed for the use of REALTOR® and Non-Resident members of NVAR, who may copy or otherwise reproduce this form in identical form with the addition of their company logo. Any other use of this form by REALTOR® and Non-Resident members of NVAR, or any use of this form whatsoever by non-members of NVAR, is prohibited without the prior written consent of NVAR. Notwithstanding the above, no REALTOR® or Non-Resident member of NVAR, or any other person, may copy or otherwise reproduce this form for purposes of resale.



EQUAL HOUSING
OPPORTUNITY

NVAR - 1033 - 10/00

National Realty, LLC 11890 Sunrise Valley Drive Reston, VA 20191

Phone:

Fax:

Keith Hartke

Produced with ZipForm™ by RE FormsNet, LLC 18070 Fifteen Mile Road, Fraser, Michigan 48026 www.zipform.com

Lead Paint-Lis